



Криві продуктивності Моно R32 20кВт Повний інверторний тепловий насос

Теплопродуктивність (кВт)

			80Hz		75Hz		70Hz		65Hz		60Hz		55Hz		50Hz		
Ambient (°C)	-25	-20	-15	-10	-5	0	2	5	7	10	15	20	25	30	35	40	45
Outlet (°C)																	
20	9.13	11.23	13.30	16.20	17.63	19.56	20.70	22.42	23.03	24.31	26.20	28.13	30.22	33.40	34.80	36.90	38.20
25	8.75	10.68	12.12	15.95	17.17	19.05	20.12	21.73	22.45	23.53	25.33	27.14	29.14	32.07	33.44	35.43	36.72
30	8.33	10.23	11.60	15.46	16.71	18.54	19.54	21.04	21.30	22.75	24.46	26.16	28.06	30.73	32.08	33.97	35.23
35	7.85	9.78	11.09	14.97	16.25	18.02	18.95	20.35	20.49	21.97	23.59	25.17	26.97	29.40	30.72	32.50	33.75
40	7.51	9.32	10.58	14.48	15.79	17.51	18.37	19.66	19.89	21.19	22.72	24.18	25.89	28.06	29.36	31.03	32.27
45	7.16	8.87	10.07	14.00	15.33	17.00	17.78	18.96	19.40	20.41	21.84	23.19	24.81	26.73	27.99	29.56	30.78
50	6.89	8.41	9.55	13.51	14.87	16.49	17.20	18.27	18.95	19.63	20.97	22.21	23.73	25.39	26.63	28.10	29.30
55	6.75	7.96	9.04	13.02	14.41	15.97	16.62	17.58	18.80	18.85	20.10	21.22	22.64	24.06	25.27	26.63	27.81
60	6.69	7.60	9.20	12.30	13.95	15.46	16.03	16.89	17.81	18.07	19.23	20.23	21.56	22.72	23.91	25.16	26.33



COP (kW/kW)																	
Outlet (°C) \ Ambient (°C)																	
	-25	-20	80Hz-15	-10	75Hz-5	0	70Hz2	5	65Hz7	10	60Hz15	20	55Hz25	30	50Hz35	40	45
20	2.35	2.80	3.27	3.92	4.07	4.41	5.07	4.97	5.15	5.31	5.72	6.03	6.37	6.73	6.80	7.19	7.02
25	2.23	2.57	2.97	3.61	3.83	4.15	4.80	4.74	4.82	4.98	5.38	5.59	6.01	6.23	6.26	6.51	6.40
30	2.06	2.39	2.74	3.37	3.59	3.89	4.49	4.42	4.53	4.66	5.02	5.23	5.65	5.87	5.93	6.17	6.08
35	1.81	2.20	2.51	3.14	3.36	3.64	4.18	4.11	4.19	4.33	4.67	4.88	5.30	5.52	5.59	5.83	5.77
40	1.66	2.02	2.28	2.90	3.12	3.38	3.88	3.79	3.91	4.01	4.31	4.53	4.94	5.16	5.26	5.48	5.45
45	1.49	1.84	2.05	2.67	2.88	3.12	3.57	3.47	3.52	3.69	3.95	4.18	4.58	4.81	4.92	5.14	5.13
50	1.35	1.66	1.83	2.43	2.64	2.87	3.26	3.16	3.11	3.36	3.60	3.82	4.23	4.45	4.59	4.79	4.81
55	1.27	1.48	1.60	2.20	2.40	2.61	2.96	2.84	2.64	3.04	3.24	3.47	3.87	4.10	4.25	4.45	4.50
60	1.20	1.35	1.54	2.03	2.17	2.35	2.65	2.53	2.56	2.71	2.89	3.12	3.51	3.74	3.92	4.10	4.18



Consumed Power (kW)																	
			80Hz		75Hz		70Hz		65Hz		60Hz		55Hz		50Hz		
Ambient (°C) Outlet (°C)	-25	-20	-15	-10	-5	0	2	5	7	10	15	20	25	30	35	40	45
20	3.88	4.01	4.07	4.14	4.33	4.44	4.09	4.51	4.47	4.58	4.58	4.67	4.75	4.96	5.11	5.13	5.44
25	3.92	4.16	4.08	4.42	4.48	4.59	4.19	4.59	4.66	4.72	4.71	4.86	4.85	5.15	5.34	5.44	5.74
30	4.05	4.29	4.24	4.58	4.65	4.76	4.35	4.76	4.70	4.88	4.87	5.00	4.96	5.23	5.41	5.50	5.79
35	4.35	4.43	4.42	4.77	4.84	4.95	4.53	4.95	4.89	5.07	5.06	5.16	5.09	5.33	5.49	5.58	5.85
40	4.52	4.61	4.63	4.99	5.06	5.18	4.74	5.19	5.09	5.28	5.27	5.34	5.24	5.43	5.58	5.66	5.92
45	4.81	4.82	4.90	5.24	5.32	5.44	4.98	5.46	5.51	5.54	5.52	5.55	5.41	5.56	5.69	5.76	6.00
50	5.12	5.07	5.23	5.55	5.63	5.75	5.27	5.78	6.09	5.84	5.83	5.81	5.61	5.70	5.81	5.86	6.09
55	5.32	5.39	5.66	5.92	5.99	6.12	5.62	6.18	7.12	6.21	6.20	6.11	5.85	5.87	5.94	5.99	6.19
60	5.56	5.65	5.96	6.04	6.44	6.57	6.05	6.68	6.96	6.66	6.66	6.49	6.14	6.07	6.10	6.13	6.30

