



Криві продуктивності Моно R32 23кВт Повний інверторний тепловий насос

Теплопродуктивність (кВт)																		
Ambient (°C)			70Hz		65Hz		60Hz		55Hz		50Hz		45Hz		40Hz			
	-25	-20	-15	-10	-7	-5	0	2	5	7	10	15	20	25	30	35	40	
30	10.24	12.26	13.80	14.95	15.69	16.43	19.76	21.45	23.14	24.34	25.43	22.32	24.08	25.42	25.76	25.94	26.12	
35	9.90	11.92	13.40	14.56	15.27	16.07	19.24	20.77	22.22	23.04	24.22	21.45	22.99	24.23	24.73	24.96	24.94	
40	9.55	11.57	12.99	14.17	14.85	15.70	18.72	20.09	21.29	22.16	23.00	20.58	21.89	23.04	23.70	23.98	23.76	
45	9.20	11.23	12.59	13.77	14.43	15.34	18.21	19.41	20.36	21.07	21.79	19.70	20.80	21.85	22.66	23.00	22.58	
50	8.86	10.88	12.18	13.38	14.01	14.98	17.69	18.73	19.44	19.97	20.58	18.83	19.71	20.66	21.63	22.02	21.40	
55	8.51	10.54	11.78	12.98	13.58	14.62	17.17	18.05	18.51	22.60	19.36	17.96	18.62	19.47	20.60	21.04	20.23	
60	0.00	10.19	11.38	12.59	13.16	14.26	16.65	17.37	17.59	17.79	18.15	17.09	17.52	18.28	19.57	20.05	19.05	



Power Input																		
Ambient (°C)																		
	-25	-20	70Hz -15	-10	65Hz -7	-5	60Hz 0	2	55Hz 5	7	50Hz 10	15	45Hz 20	25	40Hz 30	35	40	
30	5.60	5.54	5.46	5.34	5.36	5.30	5.27	5.29	5.29	5.29	5.35	4.41	3.96	3.71	3.80	3.02	2.57	
35	6.03	5.97	5.53	5.48	5.44	5.39	5.34	5.37	5.41	5.44	5.47	4.68	3.89	3.89	3.89	3.25	2.61	
40	6.46	6.40	6.15	6.12	6.10	6.07	6.05	6.06	6.08	6.10	6.12	5.33	4.54	4.46	4.38	3.61	2.85	
45	6.90	6.84	6.77	6.76	6.76	6.76	6.75	6.76	6.76	6.76	6.77	5.73	4.70	4.79	4.88	3.98	3.09	
50	7.33	7.27	7.48	7.46	7.43	7.41	7.39	7.16	6.94	6.72	6.49	5.46	4.42	4.69	4.97	4.27	3.58	
55	7.76	7.70	7.91	7.84	7.77	7.71	7.64	7.28	6.93	6.57	6.22	5.83	5.44	5.25	5.06	4.56	4.07	
60	0.00	8.14	8.04	7.94	7.84	7.79	7.71	7.32	6.98	6.67	6.30	5.98	5.55	5.34	5.19	4.63	4.24	



COP																	
Ambient (°C)																	
	-25	-20	70Hz -15	-10	65Hz -7	-5	60Hz 0	2	55Hz 5	7	50Hz 10	15	45Hz 20	25	40Hz 30	35	40
30	1.83	2.21	2.53	2.80	2.93	3.10	3.75	4.05	4.37	4.60	4.75	5.06	6.07	6.86	6.78	8.59	10.16
35	1.64	2.00	2.42	2.66	2.81	2.98	3.60	3.87	4.11	4.47	4.43	4.58	5.91	6.23	6.36	7.69	9.57
40	1.48	1.81	2.11	2.31	2.44	2.59	3.10	3.31	3.50	3.63	3.76	3.86	4.83	5.17	5.41	6.63	8.35
45	1.33	1.64	1.86	2.04	2.13	2.27	2.70	2.87	3.01	3.11	3.22	3.44	4.43	4.56	4.65	5.78	7.31
50	1.21	1.50	1.63	1.79	1.88	2.02	2.39	2.61	2.80	2.97	3.17	3.45	4.46	4.40	4.36	5.15	5.98
55	1.10	1.37	1.49	1.66	1.75	1.90	2.25	2.48	2.67	2.74	3.11	3.08	3.42	3.71	4.07	4.61	4.97
60		1.25	1.41	1.59	1.68	1.83	2.16	2.37	2.52	2.67	2.88	2.86	3.16	3.42	3.77	4.33	4.49

