


Криві продуктивності Mono R32 9кВт Повний інверторний тепловий насос


Теплопродуктивність (кВт)

		75Hz		70Hz		65Hz		60Hz		55Hz		50Hz		45Hz		40Hz	
Ambient (°C) Outlet (°C)	-25	-20	-15	-10	-7	-5	0	2	5	7	10	15	20	25	30	35	40
30	4.36	4.54	5.59	6.34	6.77	7.07	8.08	8.38	8.77	9.28	9.81	11.08	12.34	13.13	14.05	14.93	15.88
35	4.14	4.24	5.30	6.02	6.59	6.97	7.79	8.10	8.58	9.13	9.63	11.08	12.04	12.90	13.73	14.69	15.60
40	3.91	4.10	5.11	5.83	6.37	6.73	7.48	7.89	8.45	9.00	9.52	10.88	11.71	12.68	13.48	14.49	15.22
45	3.82	3.94	4.75	5.61	6.15	6.52	7.28	7.69	8.32	8.84	9.31	10.67	11.53	12.49	13.28	14.36	14.96
50	3.70	3.82	4.43	5.17	5.68	6.01	6.96	7.44	8.04	8.51	9.02	10.55	11.38	12.38	13.16	14.15	14.75
55	3.61	3.70	4.11	4.81	5.30	5.59	6.75	7.23	7.87	8.35	8.60	10.13	11.07	12.20	12.78	13.63	14.19
60	3.44	3.61	3.80	4.36	4.87	5.23	6.57	6.96	7.54	8.01	8.37	9.94	10.82	11.93	12.50	13.35	13.87

Capacity Curve



Power Input																	
Ambient (°C) Outlet (°C)	75Hz		70Hz		65Hz		60Hz		55Hz		50Hz		45Hz		40Hz		
	-25	-20	-15	-10	-7	-5	0	2	5	7	10	15	20	25	30	35	40
30	2.33	1.69	1.75	1.85	1.94	1.99	1.97	1.89	1.80	1.85	1.72	1.79	1.86	1.89	1.95	1.96	1.97
35	2.35	1.73	1.85	1.94	2.04	2.10	2.09	2.02	1.92	2.04	1.87	2.01	2.02	2.05	2.08	2.10	2.08
40	2.48	1.90	2.03	2.03	2.14	2.16	2.19	2.20	2.19	2.22	2.11	2.24	2.19	2.23	2.25	2.34	2.29
45	2.63	2.19	2.02	2.16	2.26	2.33	2.34	2.37	2.41	2.38	2.33	2.40	2.33	2.43	2.44	2.50	2.49
50	2.76	2.30	2.22	2.44	2.49	2.51	2.56	2.62	2.68	2.67	2.65	2.61	2.59	2.69	2.77	2.83	2.81
55	3.08	2.52	2.42	2.52	2.61	2.60	2.94	2.95	3.03	2.92	2.96	2.84	2.80	2.84	2.88	3.01	3.00
60	3.16	2.93	2.43	2.49	2.68	2.78	3.25	3.22	3.20	3.23	3.15	3.03	2.95	3.04	3.04	3.16	3.14



COP																	
Outlet (°C) \ Ambient (°C)	75Hz		70Hz		65Hz		60Hz		55Hz		50Hz		45Hz		40Hz		
	-25	-20	-15	-10	-7	-5	0	2	5	7	10	15	20	25	30	35	40
30	1.87	2.68	3.20	3.43	3.50	3.56	4.10	4.43	4.86	5.02	5.70	6.20	6.65	6.95	7.19	7.60	8.05
35	1.76	2.45	2.86	3.10	3.24	3.32	3.73	4.02	4.46	4.48	5.15	5.51	5.95	6.30	6.60	7.00	7.50
40	1.58	2.16	2.51	2.87	2.98	3.11	3.42	3.59	3.86	4.06	4.50	4.86	5.35	5.68	6.00	6.20	6.65
45	1.45	1.80	2.35	2.60	2.72	2.80	3.11	3.25	3.46	3.71	4.00	4.45	4.95	5.15	5.45	5.75	6.01
50	1.34	1.66	2.00	2.12	2.28	2.40	2.72	2.84	3.00	3.19	3.40	4.04	4.39	4.60	4.75	5.00	5.25
55	1.17	1.47	1.70	1.91	2.03	2.15	2.30	2.45	2.60	2.86	2.90	3.56	3.95	4.30	4.44	4.53	4.73
60	1.09	1.23	1.56	1.75	1.82	1.88	2.02	2.16	2.36	2.48	2.66	3.28	3.67	3.93	4.11	4.23	4.42

