



Криві продуктивності 16 кВт R32 EVI Повний інверторний тепловий насос для опалення та охолодження

Теплова потужність (кВт)

			65Hz		60Hz		55Hz		50Hz		45Hz		40Hz						
Ambient (°C)	Outlet (°C)	-25	-20	-15	-10	-7	-5	0	2	5	7	10	15	20	25	30	35	40	45
	20	6.99	8.59	10.18	12.40	12.80	13.49	14.97	15.54	17.16	17.40	18.60	20.05	21.52	23.12	25.56	26.63	28.24	29.23
	25	6.70	8.17	9.27	12.20	12.52	13.14	14.57	15.10	16.63	16.85	18.00	19.38	20.77	22.30	24.54	25.59	27.11	28.09
	30	6.37	7.83	8.88	11.83	12.17	12.79	14.18	14.66	16.10	16.31	17.41	18.71	20.01	21.47	23.51	24.55	25.99	26.96
	35	6.01	7.48	8.49	11.45	11.81	12.43	13.79	14.23	15.57	15.58	16.81	18.05	19.26	20.64	22.49	23.50	24.87	25.82
	40	5.75	7.13	8.09	11.08	11.46	12.08	13.40	13.79	15.04	15.21	16.21	17.38	18.50	19.81	21.47	22.46	23.74	24.69
	45	5.48	6.79	7.70	10.71	11.11	11.73	13.01	13.35	14.51	14.67	15.62	16.71	17.75	18.98	20.45	21.42	22.62	23.55
	50	5.27	6.44	7.31	10.34	10.75	11.38	12.61	12.91	13.98	14.12	15.02	16.05	16.99	18.15	19.43	20.38	21.50	22.42
	55	5.16	6.09	6.92	9.96	10.40	11.03	12.22	12.47	13.45	13.70	14.42	15.38	16.24	17.33	18.41	19.34	20.37	21.28
	60	5.12	5.82	7.04	9.41	9.98	10.67	11.83	12.03	12.92	13.03	13.83	14.71	15.48	16.50	17.38	18.30	19.25	20.15



		COP (kW/kW)																	
				65Hz		60Hz		55Hz		50Hz		45Hz		40Hz					
Ambient (°C)	Outlet (°C)	-25	-20	-15	-10	-7	-5	0	2	5	7	10	15	20	25	30	35	40	45
	20	2.30	2.74	3.20	3.83	3.92	3.98	4.31	4.53	4.86	4.99	5.19	5.60	5.90	6.23	6.58	6.66	7.03	6.87
	25	2.18	2.51	2.90	3.53	3.66	3.75	4.06	4.29	4.63	4.73	4.87	5.26	5.47	5.88	6.09	6.12	6.37	6.26
	30	2.01	2.33	2.68	3.30	3.43	3.51	3.81	4.02	4.33	4.42	4.56	4.91	5.12	5.53	5.75	5.80	6.03	5.95
	35	1.77	2.16	2.46	3.07	3.20	3.28	3.56	3.74	4.02	4.37	4.24	4.56	4.77	5.18	5.40	5.47	5.70	5.64
	40	1.63	1.98	2.23	2.84	2.97	3.05	3.31	3.47	3.71	3.79	3.92	4.22	4.43	4.83	5.05	5.14	5.36	5.33
	45	1.46	1.80	2.01	2.61	2.73	2.82	3.05	3.19	3.40	3.48	3.60	3.87	4.08	4.48	4.70	4.81	5.02	5.02
	50	1.32	1.62	1.79	2.38	2.50	2.58	2.80	2.92	3.09	3.17	3.29	3.52	3.74	4.13	4.35	4.49	4.69	4.71
	55	1.24	1.44	1.56	2.15	2.27	2.35	2.55	2.64	2.78	2.64	2.70	3.17	3.39	3.78	4.01	4.16	4.35	4.40
	60	1.18	1.32	1.51	1.99	2.07	2.12	2.30	2.37	2.47	2.54	2.65	2.82	3.05	3.43	3.66	3.83	4.01	4.09



		Consumed Power (kW)																	
				65Hz		60Hz		55Hz		50Hz		45Hz		40Hz					
Ambient (°C)	Outlet (°C)	-25	-20	-15	-10	-7	-5	0	2	5	7	10	15	20	25	30	35	40	45
20		3.04	3.14	3.18	3.24	3.27	3.39	3.47	3.43	3.53	3.49	3.58	3.58	3.65	3.71	3.88	4.00	4.02	4.26
25		3.07	3.25	3.19	3.46	3.42	3.51	3.59	3.52	3.59	3.56	3.70	3.69	3.80	3.79	4.03	4.18	4.26	4.49
30		3.17	3.35	3.31	3.58	3.55	3.64	3.72	3.65	3.72	3.69	3.82	3.81	3.91	3.88	4.09	4.23	4.31	4.53
35		3.40	3.47	3.46	3.73	3.69	3.79	3.88	3.80	3.88	3.56	3.97	3.95	4.03	3.98	4.17	4.30	4.36	4.58
40		3.53	3.61	3.63	3.90	3.86	3.96	4.05	3.98	4.06	4.01	4.13	4.12	4.18	4.10	4.25	4.37	4.43	4.63
45		3.76	3.77	3.83	4.10	4.06	4.16	4.26	4.18	4.27	4.21	4.33	4.32	4.34	4.24	4.35	4.45	4.50	4.69
50		4.01	3.97	4.09	4.34	4.30	4.40	4.50	4.42	4.53	4.46	4.57	4.56	4.54	4.39	4.46	4.54	4.59	4.76
55		4.16	4.22	4.43	4.63	4.58	4.69	4.79	4.72	4.84	5.19	5.34	4.85	4.78	4.58	4.59	4.65	4.68	4.84
60		4.35	4.42	4.67	4.73	4.83	5.04	5.14	5.08	5.23	5.12	5.21	5.21	5.08	4.80	4.75	4.78	4.80	4.93

