



Криві продуктивності 26 кВт R32 EVI Повний інверторний тепловий насос для опалення та охолодження																	
Теплопродуктивність (кВт)																	
Ambient (°C)	-25	-20	80Hz -15	-10	75Hz -7	-5	70Hz 0	2	65Hz 5	7	60Hz 10	15	55Hz 20	25	50Hz 30	35	40
30	11.58	13.86	15.60	16.91	17.74	18.57	22.34	24.25	26.16	26.23	27.89	28.50	27.22	28.73	29.12	29.33	29.53
35	11.19	13.47	15.14	16.46	17.26	18.16	21.75	23.48	25.30	25.30	26.89	26.75	25.99	27.39	27.95	28.22	28.20
40	10.80	13.08	14.69	16.01	16.79	17.75	21.17	22.71	24.07	25.25	26.00	25.44	24.75	26.04	26.79	27.11	26.86
45	10.41	12.69	14.23	15.57	16.31	17.35	20.58	21.94	23.02	25.15	24.21	23.91	23.52	24.70	25.62	26.00	25.53
50	10.01	12.30	13.77	15.12	15.83	16.94	19.99	21.17	21.97	24.98	22.98	22.38	22.28	23.35	24.45	24.89	24.20
55	9.62	11.91	13.32	14.68	15.36	16.53	19.41	20.40	20.93	24.35	21.75	20.85	21.05	22.01	23.29	23.78	22.86
60		11.52	12.86	14.23	14.88	16.12	18.82	19.63	19.88	23.80	20.52	19.32	19.81	20.66	22.12	22.67	21.53



Power Input																	
(°C)	Ambient																
	-25	-20	80Hz	-10	75Hz	-5	70Hz	0	65Hz	7	60Hz	15	55Hz	25	50Hz	35	40
30	6.51	6.44	6.35	6.21	6.23	6.16	6.13	6.15	6.15	6.15	6.22	5.13	4.61	4.31	4.42	3.51	2.99
35	7.01	6.94	6.43	6.38	6.32	6.27	6.21	6.25	6.29	6.32	6.36	5.44	4.52	4.52	4.52	3.78	3.03
40	7.52	7.45	7.15	7.12	7.09	7.06	7.03	7.05	7.07	7.09	7.12	6.20	5.28	5.19	5.10	4.20	3.31
45	8.02	7.95	7.87	7.87	7.86	7.86	7.85	7.86	7.86	7.87	7.87	6.67	5.46	5.57	5.67	4.63	3.59
50	8.52	8.45	8.70	8.67	8.65	8.62	8.59	8.33	8.07	7.81	7.55	6.35	5.14	5.46	5.78	4.97	4.16
55	9.03	8.96	9.20	9.12	9.04	8.96	8.88	8.47	8.06	7.64	7.23	6.78	6.33	6.11	5.88	5.31	4.73
60		9.46	9.35	9.23	9.12	9.06	8.96	8.51	8.12	7.75	7.33	6.95	6.45	6.21	6.03	5.38	4.93



COP																	
(°C)	Ambient		80Hz		75Hz		70Hz		65Hz		60Hz		55Hz		50Hz		
	-25	-20	-15	-10	-7	-5	0	2	5	7	10	15	20	25	30	35	40
30	1.85	2.24	2.55	2.83	2.96	3.14	3.79	4.10	4.42	4.43	4.66	5.78	6.14	6.93	6.85	8.69	10.27
35	1.66	2.02	2.45	2.69	2.84	3.01	3.64	3.91	4.19	4.17	4.40	5.11	5.98	6.30	6.43	7.77	9.68
40	1.49	1.83	2.14	2.34	2.46	2.62	3.13	3.35	3.54	3.70	3.80	4.27	4.88	5.22	5.47	6.71	8.44
45	1.35	1.66	1.88	2.06	2.16	2.30	2.73	2.90	3.05	3.33	3.20	3.73	4.48	4.62	4.70	5.84	7.40
50	1.22	1.51	1.65	1.81	1.90	2.04	2.42	2.64	2.83	3.33	3.16	3.67	4.51	4.45	4.40	5.21	6.05
55	1.11	1.38	1.51	1.67	1.77	1.92	2.27	2.51	2.70	2.61	3.13	3.20	3.46	3.75	4.12	4.66	5.03
60	0.00	1.27	1.43	1.60	1.70	1.85	2.18	2.40	2.55	3.19	2.91	2.89	3.19	3.46	3.82	4.38	4.54

